Refine Search

Search Results -

Terms	Documents				
L2 AND CULTUR\$5 AND SERPENTEMYCIN	1				

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database US OCR Full-Text Database

Database:


EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

.3	•	<u>@</u>

		-
		⊽









Search History

DATE: Sunday, February 20, 2005 Printable Copy Create Case

Set Name side by side	<u> </u>	Hit Count S	Set Name result set
DB=PC	SPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YE	ES; OP=ADJ	
<u>L3</u>	L2 AND CULTUR\$5 AND SERPENTEMYCIN	1	<u>L3</u>
<u>L2</u>	L1 AND DSM 14865	2	<u>L2</u>
<u>L1</u>	ACTINOMYCETALES	1584	<u>L1</u>

END OF SEARCH HISTORY

Hit List

Print(Clear Cenerate Collection Fwd Refs **Elawd Refs** Generate OACS

Search Results - Record(s) 1 through 2 of 2 returned.

☐ 1. Document ID: US 20040042981 A1

Using default format because multiple data bases are involved.

L2: Entry 1 of 2

File: PGPB

Mar 4, 2004

PGPUB-DOCUMENT-NUMBER: 20040042981

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040042981 A1

TITLE: Polyenecarboxylic acid derivatives, processes for preparing them, and their

use

PUBLICATION-DATE: March 4, 2004

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY RULE-47

Vertesy, Laszlo Eppstein-Vockenhausen DE Kurz, Michael Hofheim DE Wink, Joachim Rodermark DE

US-CL-CURRENT: <u>424/59</u>; <u>562/426</u>, <u>562/450</u>, <u>562/466</u>

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw, De
								·	-	<u>-</u>		-
												# ************************************

☐ 2. Document ID: WO 2004005236 A1

L2: Entry 2 of 2

File: EPAB


Jan 15, 2004

PUB-NO: WO2004005236A1

DOCUMENT-IDENTIFIER: WO 2004005236 A1

TITLE: POLYENE CARBOXYLIC ACID DERIVATIVES, METHOD FOR THEIR PRODUCTION AND THE USE

THEREOF



Terms Documents L1 AND DSM 14865


L1 STRUCTURE UPLOADED

=> d

L1 HAS NO ANSWERS

L1

STR



Structure attributes must be viewed using STN Express query preparation.

=> s l1 full

REG1stRY INITIATED

Substance data SEARCH and crossover from CAS REGISTRY in progress... Use DISPLAY HITSTR (or FHITSTR) to directly view retrieved structures.

FULL SEARCH INITIATED 16:34:41 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 106207 TO ITERATE

100.0% PROCESSED 106207 ITERATIONS

SEARCH TIME: 00.00.01

11 ANSWERS

L2

11 SEA SSS FUL L1

Ь3

3 L2

=> d 1-3 ibib abs hitstr

L3 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 2004:673055 CAPLUS

DOCUMENT NUMBER: 141:328233

TITLE: Novel Polyene Carboxylic Acids from Streptomyces

AUTHOR(S): Wenzel, Silke C.; Bode, Helge B.

CORPORATE SOURCE: Pharmazeutische Biotechnologie, Universitaet des

Saarlandes, Saarbruecken, D-66123, Germany

SOURCE: Journal of Natural Products (2004), 67(9), 1631-1633

CODEN: JNPRDF; ISSN: 0163-3864

PUBLISHER: American Chemical Society

DOCUMENT TYPE: Journal LANGUAGE: English

AB Reinvestigation of the production of the unusual polyene carboxylic acid serpentene (1a) from Streptomyces sp. Tue 3851 revealed the presence of addnl. polyene carboxylic acids. The Me esters of the new all-trans

serpentene (2) and four new dicarboxylic acids (3-6) were isolated after methylation of the isolated polyene fraction. The dicarboxylic acids might result from ω - and β -oxidation of the parent compds. 1 and

TT 773892-94-7 773892-95-8 773892-96-9 773892-97-0

RL: NPO (Natural product occurrence); PRP (Properties); BIOL (Biological study); OCCU (Occurrence)

(novel polyene carboxylic acids from Streptomyces)

RN 773892-94-7 CAPLUS

CN 2,4,6,8-Nonatetraenoic acid, 9-[2-[(1E,3E)-5-methoxy-5-oxo-1,3-pentadienyl]phenyl]-, methyl ester, (2E,4E,6E,8E)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.

RN 773892-95-8 CAPLUS

CN 2,4,6-Heptatrienoic acid, 7-[2-[(1E,3E)-5-methoxy-5-oxo-1,3-pentadienyl]phenyl]-, methyl ester, (2E,4E,6E)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.

RN 773892-96-9 CAPLUS

CN 2,4,6-Heptatrienoic acid, 7-[2-[(1E,3E)-5-methoxy-5-oxo-1,3-pentadienyl]phenyl]-, methyl ester, (2Z,4E,6Z)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.

RN773892-97-0 CAPLUS

2,4,6-Heptatrienoic acid, 7-[2-[(1E,3E)-5-methoxy-5-oxo-1,3pentadienyl]phenyl]-, methyl ester, (2E,4E,6Z)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.

REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

ANSWER 2 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER:

2004:36645 CAPLUS

DOCUMENT NUMBER:

140:92685

TITLE:

Serpentemycines A-E, novel aromatic polyene

antibiotics produced by Actinomycetales DSM 14865

INVENTOR(S): Vertesy, Laszlo; Kurz, Michael; Wink, Joachim

PATENT ASSIGNEE(S):

Aventis Pharma Deutschland GmbH, Germany

Ger. Offen., 21 pp.

SOURCE: CODEN: GWXXBX

DOCUMENT TYPE:

Patent

LANGUAGE:

German

FAMILY ACC. NUM. COUNT:

PATENT INFORMATION:

PATENT NO.				KIND DATE			APPLICATION NO.						DATE			
DE 10229713 WO 2004005236			A1 A1	A1 20040115			DE 2002-10229713 WO 2003-EP6407					20020702				
	ΑE,	AG,	AL,	AM,	AT,	AU,	ΑZ,	BA,	BB,	BG,	BR,	BY,	ΒZ,	CA,	CH,	CN,
	GM,	CR, HR,	CU, HU,	CZ,	DE, IL,	DK, IN,	DM, IS,	DZ, JP,	EC, KE,	EE, KG,	ES, KP,	FI, KR,	GB, KZ,	GD, LC,	GE, LK,	GH, LR,
						MD,										

PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG US 2004042981 A1 20040304 US 2003-608466 20030627 PRIORITY APPLN. INFO.: DE 2002-10229713 20020702 US 2002-423473P 20021104 Ρ OTHER SOURCE(S):

MARPAT 140:92685

AB The present inventions provides the novel aromatic polyenes serpentemycines A(I)-E, their derivs., a fermentation process to produce them and their use for the treatment and prophylaxis of bacterial infectious diseases. Also provided is Actinomycetales strain DSM 14865 which is used to produce these metabolites.

643764-51-6P, Serpentemycine A 643764-53-8P, Serpentemycine B 643764-55-0P, Serpentemycine C 643764-57-2P, Serpentemycine D 643764-58-3P, Serpentemycine E

RL: BMF (Bioindustrial manufacture); BSU (Biological study, unclassified); PRP (Properties); PUR (Purification or recovery); BIOL (Biological study); PREP (Preparation)

(serpentemycines A-E, novel aromatic polyene antibiotics produced by Actinomycetales DSM 14865)

RN 643764-51-6 CAPLUS

CN 2,4,6,8-Nonatetraenoic acid, 9-[2-[(1E,3E)-4-carboxy-1,3butadienyl]phenyl]-, (2E,4Z,6E,8Z)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.

RN 643764-53-8 CAPLUS

CN 2,4,6-Heptatrienoic acid, 7-[2-[(1E,3E)-4-carboxy-1,3-butadienyl]phenyl]-, (2E, 4E, 6Z) - (9CI) (CA INDEX NAME)

Double bond geometry as shown.

RN 643764-55-0 CAPLUS

CN 2,4,6-Heptatrienoic acid, 7-[2-[(1E,3E)-4-carboxy-1,3-butadienyl]phenyl]-, (2E,4E,6E)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.

RN 643764-57-2 CAPLUS

CN 2,4-Pentadienoic acid, 5-[2-[(1E,3E,5E)-7,8-dihydroxy-1,3,5-nonatrienyl]phenyl]-, (2E,4E)- (9CI) (CA INDEX NAME)

Double bond geometry as shown. Currently available stereo shown.

RN 643764-58-3 CAPLUS

CN 4,6,8-Nonatrienoic acid, 9-[2-[(1E,3E)-4-carboxy-1,3-butadienyl]phenyl]-

2,3-dihydroxy-, (4E,6E,8Z)- (9CI) (CA INDEX NAME)

Double bond geometry as shown. Currently available stereo shown.

L3 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 1977:422858 CAPLUS

DOCUMENT NUMBER: 87:22858

TITLE: Unsaturated macrocyclic compounds. 121. Synthesis of

benzannelated bisdehydro[14]-, -[16]-, -[18]-, and

-[20]annulenes

AUTHOR(S): Darby, Nicholas; Cresp, Terry M.; Sondheimer, Franz

CORPORATE SOURCE: Dep. Chem., Univ. Coll., London, UK

SOURCE: Journal of Organic Chemistry (1977), 42(11), 1960-7


CODEN: JOCEAH; ISSN: 0022-3263

DOCUMENT TYPE: Journal

LANGUAGE: English

GI

$$HC \equiv CCHRCH (OH) (CH = CH)_n$$
 $CH = CHCH (OH) CHRC \equiv CH$ I



Phthalaldehyde was converted to 1,2-bis(alkenynyl)benzenes I (n = 0, 1; R = H, Me) by known reactions and I were cyclized and dehydrated to the resp. macrocyclic benzannulenes II. Similarly prepared were the vinylogs III (n, R given): 1, H; 1, Me; 2, H.

IT 61650-58-6P 61675-25-0P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and hydride reduction of)

RN 61650-58-6 CAPLUS

CN 2,4-Pentadienoic acid, 5,5'-(1,2-phenylene)bis-, diethyl ester, (E,E,?,?)-

(9CI) (CA INDEX NAME)

Double bond geometry as described by ${\tt E}$ or ${\tt Z}$.

RN 61675-25-0 CAPLUS

CN 2,4,6-Heptatrienoic acid, 7-[2-(5-ethoxy-5-oxo-1,3-pentadienyl)phenyl]-, ethyl ester, (all-E)- (9CI) (CA INDEX NAME)

Double bond geometry as shown.